APPENDIX A		
PREVALENT ME	DICAL CONDITION — TYPE Plan of Care	1 DIABETES
	STUDENT INFORMATION	
Student Name	Date Of Birth	Student Photo (entional)
Ontario Ed. # Grade	Age Teacher(s)	Student Photo (optional)

)

EMERGENCY CONTACTS (LIST IN PRIORITY)			
NAME	RELATIONSHIP	DAYTIME PHONE	ALTERNATE PHONE
1.			
2.			
3.			

TYPE 1 DIABETES SUPPORTS

Names of trained individuals who will provide support with diabetes-related tasks: (e.g. designated staff or community care allies.)

Method of home-school communication:

Any other medical condition or allergy?

Page 1 of 6

DAILY/ROUTINE TYPE 1 DIABETES MANAGEMENT

Student is able to manage their diabetes care independently and does not require any special care from the school.

Yes
 No
 If Yes, go directly to page five (5) — Emergency Procedures

ROUTINE	ACTION
BLOOD GLUCOSE MONITORING	Target Blood Glucose Range
Student requires trained individual to check BG/ read meter.	Time(s) to check BG:
Student needs supervision to check BG/ read meter.	Contact Parent(s)/Guardian(s) if BG is:
Student can independently check BG/ read meter.	Parent(s)/Guardian(s) Responsibilities:
Student has continuous glucose monitor (CGM)	School Responsibilities:
✤ Students should be able to	
check blood glucose anytime, anyplace, respecting their preference for privacy.	Student Responsibilities:
NUTRITION BREAKS	Recommended time(s) for meals/snacks:
Student requires supervision during meal times to ensure completion.	Parent(s)/Guardian(s) Responsibilities:
Student can independently manage his/her food intake.	School Responsibilities:
★ Reasonable accommodation must be made to allow student to eat all of the provided meals and snacks on time. Students should not trade or share food/snacks with other students.	Student Responsibilities: Special instructions for meal days/ special events:
	Page 2 of 6

ROUTINE	ACTION (CONTINUED)
INSULIN	Location of insulin:
INSULIN Student does not take insulin at school. Student takes insulin at school by: Injection Pump Insulin is given by: Student Student Student with supervision Parent(s)/Guardian(s) Trained Individual * All students with Type 1 diabetes use insulin. Some students will require insulin during the school day, typically before meal/nutrition breaks. ACTIVITY PLAN Physical activity lowers blood glucose. BG is often checked before activity. Carbohydrates may need to be eaten before/after physical activity. A source of fast-acting sugar must always be within students' reach.	Location of insulin:
	Page 3 of 6

ROUTINE	ACTION (CONTINUED)	
DIABETES MANAGEMENT KIT Parents must provide, maintain, and refresh supplies. School must ensure this kit is accessible all times. (e.g. field trips, fire drills, lockdowns) and advise parents when supplies are low.	 Kits will be available in different locations but will include: Blood Glucose meter, BG test strips, and lancets Insulin and insulin pen and supplies. Source of fast-acting sugar (e.g. juice, candy, glucose tabs.) Carbohydrate containing snacks Other (Please list)	
SPECIAL NEEDS A student with special considerations may require more assistance than outlined in this plan.	Comments:	
Page 4 of 6		

EMERGENCY PROCEDURES HYPOGLYCEMIA – LOW BLOOD GLUCOSE (4 mmol/L or less) DO NOT LEAVE STUDENT UNATTENDED			
Usual symptoms of Hypog			
Blurred Vision	I Irritable/Grouchy I Headache I Confused	Hungry	 Trembling Weak/Fatigue
 Steps to take for <u>Mild</u> Hypoglycemia (student is responsive) 1. Check blood glucose, givegrams of fast acting carbohydrate (e.g. ½ cup of juice, 15 skittles) 2. Re-check blood glucose in 15 minutes. 3. If still below 4 mmol/L, repeat steps 1 and 2 until BG is above 4 mmol/L. Give a starchy snack if next meal/snack is more than one (1) hour away. 			
 Steps for <u>Severe</u> Hypoglycemia (student is unresponsive) 1. Place the student on their side in the recovery position. 2. Call 9-1-1. Do not give food or drink (choking hazard). Supervise student until emergency medical personnel arrives. 3. Contact parent(s)/guardian(s) or emergency contact 			
н	YPERGLYCEMIA — (14 MN	HIGH BLOOD (OL/L OR ABOV	
Usual symptoms of hyperg	lycemia for my child	are:	
 Extreme Thirst Hungry Warm, Flushed Skin 	 Frequent L Abdominal Irritability 		 Headache Blurred Vision Other:
 Steps to take for <u>Mild</u> Hyperglycemia 1. Allow student free use of bathroom 2. Encourage student to drink water only 3. Inform the parent/guardian if BG is above 			
Symptoms of Severe Hyperglycemia (Notify parent(s)/guardian(s) immediately) Rapid, Shallow Breathing Vomiting Fruity Breath 			
 Steps to take for <u>Severe</u> Hyperglycemia 1. If possible, confirm hyperglycemia by testing blood glucose 2. Call parent(s)/guardian(s) or emergency contact 			
	Pa	ge 5 of 6	

HEALTHC	ARE PROVI		ATION (OPTIONAL)
Healthcare provider may in Respiratory Therapist, Certif	-		ioner, Registered Nurse, Pharmacist, rtified Asthma Educator.
Healthcare Provider's Name	:		
Profession/Role:			
Signature:		Date:	
Special Instructions/Notes/P	rescription Lab	els:	
for which the authorization to	o administer ap	plies, and possib	y and method of administration, dates le side effects. s to the student's medical condition.
	AUTHORIZ	ATION/PLAN	REVIEW
INDIVIDUALS	WITH WHOM	THIS PLAN OF C	CARE IS TO BE SHARED
1	2		3
4	5		6
Other individuals to be conta Before-School Program	acted regarding Pes		
After-School Program	🗖 Yes	🗖 No	
School Bus Driver/Route # (If Applicable) _		
Other:			
			year without change and will be (It is the parent(s)/guardian(s) ge the plan of care during the school
Parent(s)/Guardian(s):	Signature		Date:
Student:	Signature		Date:
Principal:	Signature		Date:
		Page 6 of 6	